Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-564-5487

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.750 inches
Tempurature Rating:
-40.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response
Outside Diameter:
1.250 inches
Connection Style:
Plain 1st end
End Connection Design:
Straight 2nd end
Connection Type:
Unthreaded external tube 2nd end
Thready Qty Per Inch (tpi):
14 1st end
Burst Test Pressure:
9000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided cotton cord
Maximum Operating Pressure:
2250.0 pounds per square inch
Thread Size:
0.750 inches 1st end
Hydrostatic Test Pressure:
4500.0 pounds per square inch
Outer Covering Environmental Protection:
Oil resistant and ozone resistant and cold resistant and light resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:
13.640 inches and 13.880 inches
Outside Diameter Tube Accommodated:
0.7505 inches 2nd end
Media For Which Designed:
Fuel/oil, hydrocarbon single response
Thread Series Designator:
Unf 1st end
Shelf Life:
N/a

## NSN 4720-00-564-5487

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0