NSN 4720-00-566-1280

Nonmetallic Hose - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-566-1280

Round Inside Diameter: Between 0.489 inches and 0.531 inches Tempurature Rating: 67.0 degrees fahrenhelt single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.687 inches and 0.750 inches Burst Test Pressure: 350.0 pounds per square inch single response Layer Composition And Location: Outer layer woven fabric er-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 875.0 pounds per square inch single response Unter Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 881.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 1149-milh-13444 government specification Specification Or Standard: 11ype Shelf Life: N/a Unit Of Measure:	Cross Costional Change
Inside Diameter: Between 0.469 inches and 0.531 inches Tempurature Rating: -67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.687 inches and 0.750 inches Burst Test Pressure: 3500.0 pounds per square inch single response Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure:	Cross Sectional Shape:
Retween 0.469 inches and 0.531 inches Tempurature Rating: -67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.687 inches and 0.750 inches Burst Test Pressure: 3500.0 pounds per square inch single response Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Filig: H54120	
Tempurature Rating: -67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.687 inches and 0.750 inches Burst Test Pressure: 3500.0 pounds per square inch single response Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: H54120	
-67.0 degrees fahrenheit single response and 212.0 degrees fahrenheit single response Outside Diameter: Between 0.687 inches and 0.750 inches Burst Test Pressure: 3500.0 pounds per square inch single response Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	
Outside Diameter: Between 0.687 inches and 0.750 inches Burst Test Pressure: 3500.0 pounds per square inch single response Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Filg: H54120	
Between 0.687 inches and 0.750 inches Burst Test Pressure: 3500.0 pounds per square inch single response Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure:	
Burst Test Pressure: 3500.0 pounds per square inch single response Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	
Sand Pounds per square inch single response Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	
Layer Composition And Location: Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 11349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	
Outer layer woven fabric err-100 Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	
Maximum Operating Pressure: 875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	
875.0 pounds per square inch single response Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	
Hydrostatic Test Pressure: 1750.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fig: A54120	Maximum Operating Pressure:
Tr50.0 pounds per square inch single response Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	875.0 pounds per square inch single response
Outer Covering Environmental Protection: Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Hydrostatic Test Pressure:
Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	1750.0 pounds per square inch single response
Vacuum In Torr: 381.0 Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Outer Covering Environmental Protection:
Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	Fuel resistant and mildew resistant and oil resistant and ozone resistant and vibration resistant and weatherproof
Inside Surface Condition: Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	Vacuum In Torr:
Smooth Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	381.0
Material: Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A54120	Inside Surface Condition:
Rubber synthetic tube Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Smooth
Media For Which Designed: Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Material:
Gas single response and fuel/oil, hydrocarbon single response Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Rubber synthetic tube
Specification Data: 81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Media For Which Designed:
81349-mil-h-13444 government specification Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Gas single response and fuel/oil, hydrocarbon single response
Specification Or Standard: 1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Specification Data:
1 type Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	81349-mil-h-13444 government specification
Shelf Life: N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	Specification Or Standard:
N/a Unit Of Measure: Demilitarization: No Fiig: A541z0	1 type
Unit Of Measure: Demilitarization: No Fiig: A541z0	Shelf Life:
Demilitarization: No Fiig: A541z0	N/a
No Fiig: A541z0	Unit Of Measure:
No Fiig: A541z0	
Fiig: A541z0	Demilitarization:
A541z0	No
A541z0	
	-
mii Sta (iliilital y Otaliaal a).	Mil-std (military Standard):
Mil-h-13444 spec.	