Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-578-6222

Cross Sectional Shape:	
Round	
Thread Class:	
2b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.375 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit	nd 275.0 degrees fahrenheit single response
Outside Diameter:	
0.580 inches	
Minimum Inside Bending	Radius:
0.750 inches	
Exterior Color:	
Green	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st	end
Features Provided:	
Electrostatic discharge cap	ability
Burst Test Pressure:	
800.0 pounds per square ir	ich
Layer Composition And I	ocation:
1st layer spirally wrapped p	oolytetrafluoroethylene impregnated glass fiber and outer layer spirally wrapped polyamide fabric
Maximum Operating Pres	sure:
200.0 pounds per square ir	ich
Thread Size:	
0.562 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Hydrostatic Test Pressur	e:
400.0 pounds per square ir	ich
Inside Surface Condition	
Convoluted	
Measuring Method And L	ength:
8.875 inches working	
Thread Series Designato	·
Unjf 1st end	

NSN 4720-00-578-6222

Nonmetallic Hose Assembly - Page 2 of 2

AeroBase Group

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0