NSN 4720-00-586-2868

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-586-2868

Cross Sectional Shape:						
Round						
Thread Class:						
2b 1st end						
Thread Direction:						
Right-hand 1st end						
Inside Diameter:						
0.375 inches						
Tempurature Rating:						
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response						
Outside Diameter:						
0.625 inches						
Minimum Inside Bending Radius:						
3.000 inches						
Connection Style:						
Swivel nut flare 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Thready Qty Per Inch (tpi):						
18 1st end						
Burst Test Pressure:						
500.0 pounds per square inch						
Layer Composition And Location:						
1st layer braided fiber and outer layer molded rubber, chloroprene						
Maximum Operating Pressure:						
200.0 pounds per square inch						
Thread Size:						
0.562 inches 1st end						
Seat Angle:						
37.0 degrees 1st end						
Vacuum In Torr:						
50.8						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
144.000 inches						
Media For Which Designed:						
Air and fuel/oil, hydrocarbon and water single response						
Thread Series Designator:						

Unf 1st end

NSN 4720-00-586-2868

Nonmetallic Hose Assembly - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0