---

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-586-4812

View Online at https://aeroba	
Cross Sectional Shape:	
Round	
Thread Class:	
2b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
1.375 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit an	d 275.0 degrees fahrenheit single response
Connection Style:	
Swivel nut flare 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded internal tube 1st e	nd
Thready Qty Per Inch (tpi):	
12 1st end	
Burst Test Pressure:	
2000.0 pounds per square ir	ich
Layer Composition And Lo	ocation:
1st layer braided cotton cord	and 2nd layer braided steel wire and outer layer rubber impregnated braided cotton cord
Maximum Operating Press	ure:
500.0 pounds per square inc	h
Thread Size:	
1.875 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Vacuum In Torr:	
381.0	
Inside Surface Condition:	
Smooth	
Measuring Method And Le	ngth:
182.906 inches working	
Media For Which Designed	i:
Air and fuel/oil, hydrocarbo	n single response
Thread Series Designator:	-
Un 1st end	
Shelf Life:	
N/a	
Unit Of Measure:	

## NSN 4720-00-586-4812

Nonmetallic Hose Assembly - Page 2 of 2

Demilitarization:

No

Fiig:

A542a0

