

View Online at <https://aerobasegroup.com/nsn/4720-00-595-0078>

**Cross Sectional Shape:**

Round

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

0.750 inches

**Temperature Rating:**

-32.0 degrees celsius and 52.0 degrees celsius single response

**Outside Diameter:**

1.375 inches

**Exterior Color:**

Black

**Hose Or Tubing Specification/std Data:**

Mil-h-370, type 2, size 2 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Connection Style:**

Plain optional end 1st end

**End Connection Design:**

Straight 1st end

**End Fitting Component And Material:**

Complete fitting copper alloy all ends

**Connection Type:**

Threaded internal pipe 1st end

**Features Provided:**

Electrostatic discharge capability

**Second End Relationship With First End:**

Identical

**Burst Test Pressure:**

500.0 pounds per square inch

**First End Swivel Action Capability:**

Not included

**Layer Composition And Location:**

2nd layer helix steel coil

**Thread Size:**

0.750 inches 1st end

**Hydrostatic Test Pressure:**

150.0 pounds per square inch

**Outer Covering Environmental Protection:**

Fuel resistant and oil resistant and mildew resistant and ozone resistant

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

24.000 inches excluding end fittings

**Thread Series Designator:**

Npsh 1st end

**Specification Data:**

Mil-h-370, type 2, size 2 professional/industrial association specification and 81349-mil-h-370 government specification

**Specification Or Standard:**

2 type and 2 size

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0

**Mil-std (military Standard):**

Mil-h-370 spec.