Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-595-0078

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.750 inches
Tempurature Rating:
-32.0 degrees celsius and 52.0 degrees celsius single response
Outside Diameter:
1.375 inches
Exterior Color:
Black
Hose Or Tubing Specification/std Data:
Mil-h-370, type 2, size 2 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Connection Style:
Plain optional end 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting copper alloy all ends
Connection Type:
Threaded internal pipe 1st end
Features Provided:
Electrostatic discharge capability
Second End Relationship With First End:
Identical
Burst Test Pressure:
500.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
2nd layer helix steel coil
Thread Size:
0.750 inches 1st end
Hydrostatic Test Pressure:
150.0 pounds per square inch
Outer Covering Environmental Protection:
Fuel resistant and oil resistant and mildew resistant and ozone resistant
Inside Surface Condition:
Smooth
Measuring Method And Length:

24.000 inches excluding end fittings

Nonmetallic Hose Assembly - Page 2 of 2



## **Thread Series Designator:**

Npsh 1st end

## **Specification Data:**

Mil-h-370, type 2, size 2 professional/industrial association specification and 81349-mil-h-370 government specification

**Specification Or Standard:** 

2 type and 2 size

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0

Mil-std (military Standard):

Mil-h-370 spec.