Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-595-2378

	Cross Sectional Shape:
l	Round
•	Thread Class:
:	3b 1st end
•	Thread Direction:
I	Right-hand 1st end
I	Inside Diameter:
	0.188 inches
	Outside Diameter:
	0.516 inches
l	Exterior Color:
I	Natural
	Connection Style:
:	Swivel nut flare 1st end
l	End Connection Design:
:	Straight 1st end
	Connection Type:
•	Threaded internal tube 1st end
I	Features Provided:
l	Electrostatic discharge capability
I	Burst Test Pressure:
	12000.0 pounds per square inch
I	Layer Composition And Location:
	1st layer braided cotton cord and 2nd layer braided wire and outer layer rubber impregnated cotton fabric
I	Maximum Operating Pressure:
;	3000.0 pounds per square inch
•	Thread Size:
(	0.438 inches 1st end
:	Seat Angle:
;	37.0 degrees 1st end
	Outer Covering Environmental Protection:
I	Mildew resistant and oil resistant
I	Inside Surface Condition:
:	Smooth
I	Measuring Method And Length:
;	32.500 inches working
I	Media For Which Designed:
l	Fuel/oil, hydrocarbon single response
	Thread Series Designator:
	Unjf 1st end
:	Specification Data:
9	96906-ms28741 government standard

## NSN 4720-00-595-2378

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0

