NSN 4720-00-602-8673

Cross Sectional Shape:

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-602-8673

Round		
Thread Class:		
3b 1st end		
Thread Direction:		
Right-hand 1st end		
Inside Diameter:		
0.700 inches		
Tempurature Rating:		
-450.0 degrees fahrenheit and 1200.0 degrees fahrenheit single response		
Outside Diameter:		
1.097 inches		
Minimum Inside Bending Radius:		
6.000 inches		
Inner Conveying Tube Style:		
Annular open-pitch corrugated		
Connection Style:		
Swivel nut flare 1st end		
End Connection Design:		
Straight 1st end		
Connection Type:		
Threaded internal tube 1st end		
Features Provided:		
Nuts drilled for lockwire and identical ends		
Thready Qty Per Inch (tpi):		
12 1st end		
Burst Test Pressure:		
2600.0 pounds per square inch		
Layer Composition And Location:		
Outer layer braided corrosion resistant steel wire		
Maximum Operating Pressure:		
465.0 pounds per square inch		
Thread Size:		
1.062 inches 1st end		
Seat Angle:		
37.0 degrees 1st end		
Hydrostatic Test Pressure:		
1600.0 pounds per square inch		
Measuring Method And Length:		
17.230 inches working and 17.270 inches working		
Thread Series Designator:		
Unj 1st end		

NSN 4720-00-602-8673

Metallic Hose Assembly - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A542a0