NSN 4720-00-603-1493

36.500 inches

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-603-1493

Cross Sectional Shape:			
Round			
Thread Class:			
2b 1st end			
Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.312 inches			
Tempurature Rating:			
-40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response			
Outside Diameter:			
0.610 inches			
Minimum Inside Bending Radius:			
1.250 inches			
Exterior Color:			
Black			
Connection Style:			
Swivel nut flare 1st end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Features Provided:			
Reusable end fittings			
Burst Test Pressure:			
6000.0 pounds per square inch			
Layer Composition And Location:			
1st layer braided textile yarn and 2nd layer braided steel wire and outer layer rubber impregnated braided fabric			
Maximum Operating Pressure:			
1500.0 pounds per square inch			
Thread Size:			
0.625 inches 1st end			
Seat Angle:			
30.0 degrees 1st end			
Hydrostatic Test Pressure:			
3000.0 pounds per square inch			
Outer Covering Environmental Protection:			
Mildew resistant and oil resistant			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			

NSN 4720-00-603-1493

Nonmetallic Hose Assembly - Page 2 of 2



		_
Thread	l Series	Designator:

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0