## NSN 4720-00-603-9257

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-603-9257

Cross Sectional Shape:			
Round			
Thread Class:			
3b 1st end			
Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.250 inches			
Tempurature Rating:			
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response			
Outside Diameter:			
0.375 inches			
Minimum Inside Bending Radius:			
3.000 inches			
Exterior Color:			
Yellow			
Connection Style:			
Swivel nut, gasket seal 2nd end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal pipe 2nd end			
Burst Test Pressure:			
2500.0 pounds per square inch			
Layer Composition And Location:			
1st layer braided polyester cord and outer layer molded plastic			
Maximum Operating Pressure:			
625.0 pounds per square inch			
Thread Size:			
0.438 inches 1st end			
Hydrostatic Test Pressure:			
1250.0 pounds per square inch			
Flow Angle:			
45.0 degrees 2nd end			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			
36.000 inches			
Special Features:			
End connections has an internal self sealing feature			
Media For Which Designed:			

Refrigerant 12 single response

## NSN 4720-00-603-9257

Nonmetallic Hose Assembly - Page 2 of 2



Thread	<b>Series</b>	Design	ator:

Unf 2nd end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0