## NSN 4720-00-609-7506

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-609-7506 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.250 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.500 inches **Minimum Inside Bending Radius:** 3.000 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end **Burst Test Pressure:** 800.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fiber and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 200.0 pounds per square inch **Thread Size:** 0.438 inches 1st end Seat Angle: 37.0 degrees 1st end **Inside Surface Condition:** Smooth **Measuring Method And Length:** 5.250 inches and 5.750 inches **Thread Series Designator:** Unf 1st end Shelf Life: N/a **Unit Of Measure:** 

Demilitarization:

No

## NSN 4720-00-609-7506

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0