Nonmetallic Hose Assembly - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4720-00-610-7908

С	ross Sectional Shape:
R	ound
тι	hread Class:
Зł	o 1st end
τI	hread Direction:
R	ight-hand 1st end
In	side Diameter:
0.	102 inches
0	utside Diameter:
0.	390 inches
С	onnection Style:
S	wivel nut flare 2nd end
E	nd Connection Design:
Si	traight 1st end
С	onnection Type:
TI	nreaded internal tube 1st end
Fe	eatures Provided:
Ν	uts drilled for lockwire
La	ayer Composition And Location:
0	uter layer braided corrosion resistant steel wire
TI	hread Size:
0.	375 inches 1st end
S	eat Angle:
37	7.0 degrees 2nd end
FI	low Angle:
90	0.0 degrees 2nd end
In	side Surface Condition:
S	mooth
Μ	easuring Method And Length:
7.	255 inches working and 7.495 inches working
S	pecial Features:
W	//molded silicone rubber sleeve, orifice in straight end
ΤI	hread Series Designator:
U	njf 1st end
S	helf Life:
N	/a
U	nit Of Measure:
D	emilitarization:
Ν	0
Fi	ig:
	542a0