## NSN 4720-00-618-7395

**Cross Sectional Shape:** 

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-618-7395

Round						
Thread Class:						
3b 1st end						
Thread Direction:						
Right-hand 1st end						
Inside Diameter:						
Between 0.300 inches and 0.346 inches						
Tempurature Rating:						
-65.0 degrees fahrenheit single response and 500.0 degrees fahrenheit single response						
Outside Diameter:						
Between 0.430 inches and 0.471 inches						
Minimum Inside Bending Radius:						
2.100 inches						
Connection Style:						
Flare 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Thready Qty Per Inch (tpi):						
18 1st end						
Burst Test Pressure:						
3000.0 pounds per square inch						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Maximum Operating Pressure:						
125.0 pounds per square inch						
Thread Size:						
0.562 inches 1st end						
Seat Angle:						
37.0 degrees 1st end						
Hydrostatic Test Pressure:						
200.0 pounds per square inch						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
27.300 inches working						
Thread Series Designator:						
Unf 1st end						
Shelf Life:						
N/a						

## NSN 4720-00-618-7395

Nonmetallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0