

View Online at <https://aerobasegroup.com/nsn/4720-00-624-4060>

Cross Sectional Shape:

Round

Inside Diameter:

3.000 inches

Temperature Rating:

-40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response

Outside Diameter:

3.594 inches

Minimum Inside Bending Radius:

33.000 inches

Features Provided:

Electrostatic discharge capability

Burst Test Pressure:

800.0 pounds per square inch single response

Layer Composition And Location:

3rd layer braided cotton cord err-100

Maximum Operating Pressure:

200.0 pounds per square inch single response

Hydrostatic Test Pressure:

400.0 pounds per square inch single response

Outer Covering Environmental Protection:

Abrasion resistant and oil resistant and mildew resistant

Vacuum In Torr:

457.2

Inside Surface Condition:

Smooth

Material:

Rubber synthetic tube

Media For Which Designed:

Hydraulic fluid, phosphate-ester base single response and hydraulic fluid, silicate-ester base single response and gas, natural single response and oil, lubricating, diester base single response and air single response and water, fresh single response and water, salt single response

Specification Data:

81343-sae j517, 100r5 government standard

Specification Or Standard:

48 size

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A541z0

Mil-std (military Standard):

Mil-h-24135 spec.