## NSN 4720-00-625-0305



Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-625-0305 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -65.0 degrees fahrenheit and 160.0 degrees fahrenheit single response **Outside Diameter:** 0.780 inches **Minimum Inside Bending Radius:** 6.000 inches **Exterior Color:** Black **Connection Style:** Swivel nut, gasket seal 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal hose 1st end Thready Qty Per Inch (tpi): 11-1/2 2nd end **Burst Test Pressure:** 750.0 pounds per square inch **Layer Composition And Location:** 1st layer braided rayon cord and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 150.0 pounds per square inch **Thread Size:** 0.750 inches 2nd end **Hydrostatic Test Pressure:** 250.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 300.000 inches Media For Which Designed: Water single response **Thread Series Designator:** 

Shelf Life: N/a

Nh 2nd end

## NSN 4720-00-625-0305

Nonmetallic Hose Assembly - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A542a0