NSN 4720-00-652-1517

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-652-1517 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.625 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response **Outside Diameter:** 0.968 inches **Minimum Inside Bending Radius:** 2.750 inches **Exterior Color:** Black **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 14 1st end **Burst Test Pressure:** 3000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided textile yarn and 2nd layer braided corrosion resistant steel wire and outer layer braided corrosion resistant steel wire **Maximum Operating Pressure:** 750.0 pounds per square inch **Thread Size:** 1.062 inches 1st end Seat Angle: 45.0 degrees 1st end **Outer Covering Environmental Protection:** Mildew resistant and oil resistant **Inside Surface Condition:**

Smooth

Measuring Method And Length:

29.500 inches

Thread Series Designator:

Uns 1st end

NSN 4720-00-652-1517

Nonmetallic Hose Assembly - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0