

View Online at <https://aerobasegroup.com/nsn/4720-00-676-7050>

**Cross Sectional Shape:**

Round

**Thread Direction:**

Right-hand 1st end

**Inside Diameter:**

1.690 inches

**Temperature Rating:**

-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response

**Outside Diameter:**

1.862 inches

**Minimum Inside Bending Radius:**

14.000 inches

**Exterior Color:**

Black

**Connection Style:**

Plain optional end 1st end

**End Connection Design:**

Straight 2nd end

**Connection Type:**

Threaded internal pipe 1st end

**Thready Qty Per Inch (tpi):**

14 1st end

**Burst Test Pressure:**

2000.0 pounds per square inch

**Layer Composition And Location:**

1st layer spiral interlocked steel and outer layer spirally wrapped cotton duck, rubber impregnated

**Maximum Operating Pressure:**

500.0 pounds per square inch

**Thread Size:**

0.750 inches 2nd end

**Hydrostatic Test Pressure:**

1000.0 pounds per square inch

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

25.750 inches

**Special Features:**

3/4 in. Tapped union nipple, part no. 544810 fscm 82722 on one end

**Media For Which Designed:**

Fuel/oil, hydrocarbon single response

**Thread Series Designator:**

Npt 1st end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A542a0