Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-678-3286

Cross Sectional Shaney
Cross Sectional Shape: Round
Thread Class:
2b 1st end Thread Direction:
Right-hand 1st end Inside Diameter:
0.303 inches
Tempurature Rating:
-67.0 degrees fahrenheit and 450.0 degrees fahrenheit single response Outside Diameter:
0.375 inches
Minimum Inside Bending Radius:
4.500 inches
Connection Style: Swivel nut flare 1st end
End Connection Design:
Straight 1st end Connection Type:
Threaded internal tube 1st end
Features Provided:
Electrostatic discharge capability Burst Test Pressure:
7700.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Maximum Operating Pressure:
1000.0 pounds per square inch
Thread Size:
0.562 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
2000.0 pounds per square inch
Outer Covering Environmental Protection:
Corrosion resistant
Vacuum In Torr:
50.8
Inside Surface Condition:
Smooth
Measuring Method And Length:
38.000 inches working

Nonmetallic Hose Assembly - Page 2 of 2

AeroBase Group

**Thread Series Designator:** 

Unf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0