Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-705-9027

Cross Sectiona	I Shape:
Round	
Thread Directio	n:
Right-hand 1st e	nd
Inside Diameter	n en
0.750 inches	
Tempurature Ra	ating:
-65.0 degrees fa	hrenheit and 200.0 degrees fahrenheit single response
Outside Diamet	er:
1.250 inches	
Connection Sty	le:
Plain 1st end	
End Connection	n Design:
Straight 1st end	
Connection Typ	De:
Threaded extern	al pipe 1st end
Thready Qty Pe	r Inch (tpi):
14 1st end	
Burst Test Pres	sure:
1200.0 pounds p	per square inch
Layer Composi	tion And Location:
1st layer braided	rayon cord and 2nd layer spirally laid steel wire and outer layer molded rubber, synthetic
Maximum Oper	ating Pressure:
300.0 pounds pe	er square inch
Thread Size:	
0.750 inches 1st	end
Hydrostatic Tes	
600.0 pounds pe	
Inside Surface	Condition:
Smooth	
	hod And Length:
19.000 inches	
Media For Whic	
Hydraulic fluid si	
Thread Series I	Designator:
Nptf 1st end	
Shelf Life:	
N/a	
Unit Of Measure	9:
Demilitarization	12
No	

## NSN 4720-00-705-9027

Nonmetallic Hose Assembly - Page 2 of 2

**Fiig:** A542a0

