

View Online at <https://aerobasegroup.com/nsn/4720-00-705-9541>

**Cross Sectional Shape:**

Round

**Inside Diameter:**

2.000 inches

**Temperature Rating:**

-25.0 degrees fahrenheit and 140.0 degrees fahrenheit single response

**Outside Diameter:**

2.656 inches

**Minimum Inside Bending Radius:**

8.000 inches

**Exterior Color:**

Black

**First End Fitting Specification/std Data:**

Aa59326vi16 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Second End Fitting Specification/std Data:**

Aa59326ii16 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Quick Disconnect Size:**

2.000 inches 2nd end

**End Application:**

Fuel dispensing system

**Connection Style:**

Cam or lever (external) 2nd end

**End Connection Design:**

Straight 2nd end

**End Fitting Component And Material:**

Complete fitting aluminum alloy all ends

**Connection Type:**

Internal quick disconnect 1st end

**Second End Relationship With First End:**

Not identical

**Burst Test Pressure:**

400.0 pounds per square inch

**First End Swivel Action Capability:**

Not included

**Layer Composition And Location:**

Outer layer rubber impregnated braided fabric

**Maximum Operating Pressure:**

100.0 pounds per square inch

**Hydrostatic Test Pressure:**

125.0 pounds per square inch

**Criticality Code Justification:**

**Inside Surface Condition:**

Smooth

**Measuring Method And Length:**

25.0 feet working

**Second End Swivel Action Capability:**

Not included

**Special Features:**

Inner conveying tube material-rubber, synthetic; weapon system essential

**Media For Which Designed:**

Fuel/oil, hydrocarbon single response

**Specification Data:**

81348-mil-h-370 government specification

**Specification Or Standard:**

1 class and 6 size and a style and 2 type

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A542a0

**Mil-std (military Standard):**

Mil-prf-370 spec.