

View Online at <https://aerobasegroup.com/nsn/4720-00-707-1220>

Cross Sectional Shape:

Round

Thread Direction:

Right-hand 1st end

Inside Diameter:

1.250 inches

Temperature Rating:

-65.0 degrees fahrenheit and 250.0 degrees fahrenheit single response

Flange Thickness:

0.495 inches 2nd end

Outside Diameter:

2.000 inches

Minimum Inside Bending Radius:

16.000 inches

Flange Outside Diameter:

2.000 inches 2nd end

Connection Style:

Plain w/ gasket groove (sae flanged head) 2nd end

End Flange Construction:

Solid 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Threaded external tube 1st end

Burst Test Pressure:

6500.0 pounds per square inch

Layer Composition And Location:

1st layer braided corrosion resistant steel wire and 2nd layer braided corrosion resistant steel wire and outer layer molded rubber, synthetic

Maximum Operating Pressure:

1625.0 pounds per square inch

Thread Size:

1.250 inches 1st end

Seat Angle:

45.0 degrees 1st end

Flow Angle:

67.5 degrees 2nd end

Outer Covering Environmental Protection:

Abrasion resistant and ozone resistant

Inside Surface Condition:

Smooth

Measuring Method And Length:

10.625 inches

Flange Style:

Round w/ out bolt holes 2nd end

Thread Series Designator:

Nptf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0