

NSN 4720-00-721-9560 Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-721-9560 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.313 inches **Tempurature Rating:** -67.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response **Outside Diameter:** 0.446 inches **Minimum Inside Bending Radius:** 4.000 inches **Exterior Color:** Natural **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end

**Connection Type:** 

Threaded internal tube 1st end

**Features Provided:** 

Electrostatic discharge capability

**Burst Test Pressure:** 

9000.0 pounds per square inch

**Layer Composition And Location:** 

Outer layer braided corrosion resistant steel wire

**Maximum Operating Pressure:** 

1500.0 pounds per square inch

**Thread Size:** 

0.562 inches 1st end

Seat Angle:

37.0 degrees 1st end

**Hydrostatic Test Pressure:** 

3000.0 pounds per square inch

**Outer Covering Environmental Protection:** 

Corrosion resistant

**Vacuum In Torr:** 

50.8

**Inside Surface Condition:** 

Smooth

## NSN 4720-00-721-9560

**Fiig:** A542a0

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
33.000 inches working
Special Features:
External support consists of butyl impregnated asbestos fire sleeve
Thread Series Designator:
Unjf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No