NSN 4720-00-733-5426

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-733-5426

Cross Sectional Shape:
Round
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.375 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
Between 0.719 inches and 0.781 inches
Minimum Inside Bending Radius:
4.000 inches
Exterior Color:
Black
Hose Or Tubing Specification/std Data:
Sae j1402, type b-81343 standard (includes industry or association standards, individual manufactureer standards, etc.).
Connection Style:
Plain 1st end
End Connection Design:
Straight 1st end
End Fitting Component And Material:
Complete fitting steel all ends
Fitting Component And Surface Treatment:
Complete fitting cadmium 1st end
Connection Type:
Threaded external pipe 1st end
Second End Relationship With First End:
Identical
Burst Test Pressure:
900.0 pounds per square inch
First End Swivel Action Capability:
Not included
Layer Composition And Location:
Outer layer molded rubber, chloroprene
Maximum Operating Pressure:
225.0 pounds per square inch
Thread Size:
0.250 inches 1st end
Hydrostatic Test Pressure:
450.0 pounds per square inch
Outer Covering Environmental Protection:

Oil resistant

NSN 4720-00-733-5426

Nonmetallic Hose Assembly - Page 2 of 2



Inside Surface Condition:
Smooth
Measuring Method And Length:
26.500 inches
Special Features:
Inner conveying tube material-rubber, synthetic
Media For Which Designed:
Air single response
Thread Series Designator:
Npt 1st end
Specification Data:
Sae j1402, type b-81343 national std/spec
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
Δ5/12a0