NSN 4720-00-738-5877

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-738-5877

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.965 inches
Tempurature Rating:
-350.0 degrees fahrenheit and 1000.0 degrees fahrenheit single response
Outside Diameter:
1.400 inches
Minimum Inside Bending Radius:
4.000 inches
Inner Conveying Tube Style:
Annular close-pitch corrugated
Angle Between Rigid Elbow Fittings In Deg:
110.0
Connection Style:
Swivel nut flare 2nd end
End Connection Design:
Elbow 2nd end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
12 2nd end
Burst Test Pressure:
2500.0 pounds per square inch
Layer Composition And Location:
Outer layer braided corrosion resistant steel wire
Thread Size:
1.312 inches 2nd end
Seat Angle:
37.0 degrees 2nd end
Hydrostatic Test Pressure:
500.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end
Outer Covering Environmental Protection:
Corrosion resistant
Measuring Method And Length:
43.000 inches working

NSN 4720-00-738-5877

Metallic Hose Assembly - Page 2 of 2



Thread Series Designator	tor:
--------------------------	------

Unj 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0