NSN 4720-00-738-5877

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-738-5877

Cross Sectional Shape:		
Round		
Thread Class:		
3b 1st end		
Thread Direction:		
Right-hand 1st end		
Inside Diameter:		
0.965 inches		
Tempurature Rating:		
-350.0 degrees fahrenheit and 1000.0 degrees fahrenheit single response		
Outside Diameter:		
1.400 inches		
Minimum Inside Bending Radius:		
4.000 inches		
Inner Conveying Tube Style:		
Annular close-pitch corrugated		
Angle Between Rigid Elbow Fittings In Deg:		
110.0		
Connection Style:		
Swivel nut flare 2nd end		
End Connection Design:		
Elbow 2nd end		
Connection Type:		
Threaded internal tube 1st end		
Thready Qty Per Inch (tpi):		
12 2nd end		
Burst Test Pressure:		
2500.0 pounds per square inch		
Layer Composition And Location:		
Outer layer braided corrosion resistant steel wire		
Thread Size:		
1.312 inches 2nd end		
Seat Angle:		
37.0 degrees 2nd end		
Hydrostatic Test Pressure:		
500.0 pounds per square inch		
Flow Angle:		
90.0 degrees 2nd end		
Outer Covering Environmental Protection:		
Corrosion resistant		
Measuring Method And Length:		
43.000 inches working		

NSN 4720-00-738-5877

Metallic Hose Assembly - Page 2 of 2



Thread S	Series	Designator:
----------	--------	-------------

Unj 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0