NSN 4720-00-753-0119

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-753-0119

Cross Sectional Shape:					
Round					
Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.188 inches					
Outside Diameter:					
0.312 inches					
Connection Style:					
Swivel nut flare 2nd end					
End Connection Design:					
Straight 2nd end					
Connection Type:					
Threaded internal tube 1st end					
Burst Test Pressure:					
12000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
1500.0 pounds per square inch					
Thread Size:					
0.438 inches 1st end					
Seat Angle:					
90.0 degrees 1st end					
Hydrostatic Test Pressure:					
3000.0 pounds per square inch					
Flow Angle:					
37.0 degrees 1st end					
Outer Covering Environmental Protection:					
Corrosion resistant					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
4.875 inches working					
Special Features:					
Nuts drilled forsafety wire					
Thread Series Designator:					
Unjf 1st end					
Specification Data:					
07482-j264b0047cb manufacturers source control					

NSN 4720-00-753-0119

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	JIF.		ife:
J	116		_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0