

NSN 4720-00-756-7934 Nonmetallic Hose Assembly - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/4720-00-756-7934 **Cross Sectional Shape:** Round **Thread Class:** 3b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -65.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response **Outside Diameter:** 

0.660 inches

5.500 inches

**Connection Style:** Swivel nut flare 2nd end **End Connection Design:** 

Straight 1st end **Connection Type:** 

**Features Provided:** 

**Burst Test Pressure:** 

**Thread Size:** 

Seat Angle:

Flow Angle:

50.8

Smooth

0.875 inches 2nd end

37.0 degrees 2nd end

90.0 degrees 2nd end

Corrosion resistant **Vacuum In Torr:** 

**Inside Surface Condition:** 

**Hydrostatic Test Pressure:** 3000.0 pounds per square inch

**Minimum Inside Bending Radius:** 

Threaded internal tube 1st end

Electrostatic discharge capability

7000.0 pounds per square inch **Layer Composition And Location:** 

**Maximum Operating Pressure:** 1500.0 pounds per square inch

Outer layer braided corrosion resistant steel wire

**Outer Covering Environmental Protection:** 

## NSN 4720-00-756-7934

Nonmetallic Hose Assembly - Page 2 of 2



Measuring Method And Length:
22.000 inches working
Special Features:
Protective plug ea end
Thread Series Designator:
Unjf 1st end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A542a0