NSN 4720-00-758-0815

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-758-0815

Cross Sectional Shape:					
Round					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
0.750 inches					
Tempurature Rating:					
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response					
Outside Diameter:					
1.250 inches					
Minimum Inside Bending Radius:					
9.500 inches					
Connection Style:					
Inverted flare 1st end					
End Connection Design:					
Straight 1st end					
Connection Type:					
Threaded external pipe 1st end					
Features Provided:					
Electrostatic discharge capability					
Burst Test Pressure:					
9000.0 pounds per square inch					
Layer Composition And Location:					
1st layer braided steel wire and 2nd layer braided steel wire and outer layer molded rubber, synthetic					
Maximum Operating Pressure:					
2250.0 pounds per square inch					
Thread Size:					
0.750 inches 1st end					
Seat Angle:					
30.0 degrees 1st end					
Outer Covering Environmental Protection:					
Abrasion resistant and oil resistant and weatherproof					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
98.000 inches					
Media For Which Designed:					
Fuel/oil, hydrocarbon single response					
Thread Series Designator:					
Nptf 1st end					
Shelf Life:					
A1/-					

N/a

NSN 4720-00-758-0815

Nonmetallic Hose Assembly - Page 2 of 2



		• •			
ш	ın	10	<i>(</i>)+	Measure:	

--

Demilitarization:

No

Fiig:

A542a0