NSN 4720-00-763-3095

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-763-3095 **Cross Sectional Shape:** Round **Thread Class:** 2b 1st end **Thread Direction:** Right-hand 1st end **Inside Diameter:** 1.500 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 2.130 inches **Minimum Inside Bending Radius:** 20.000 inches **Connection Style:** Swivel nut flare 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded internal tube 1st end Thready Qty Per Inch (tpi): 12 1st end **Burst Test Pressure:** 5000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided steel wire and 2nd layer molded rubber, synthetic and 3rd layer braided steel wire and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 1250.0 pounds per square inch **Thread Size:** 1.875 inches 1st end Seat Angle: 37.0 degrees 1st end **Outer Covering Environmental Protection:** Abrasion resistant **Inside Surface Condition:** Smooth **Measuring Method And Length:** 120.000 inches

Shelf Life:

N/a

Un 1st end

Thread Series Designator:

NSN 4720-00-763-3095

Nonmetallic Hose Assembly - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A542a0