## NSN 4720-00-763-3201

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-763-3201

Cross Sectional Shape:				
Round				
Thread Class:				
3b 1st end				
Thread Direction:				
Right-hand 1st end				
Inside Diameter:				
0.312 inches				
Tempurature Rating:				
-65.0 degrees fahrenheit and 450.0 degrees fahrenheit single response				
Outside Diameter:				
0.438 inches				
Connection Style:				
Swivel nut flare 1st end				
End Connection Design:				
Elbow 1st end				
Connection Type:				
Threaded internal tube 1st end				
Features Provided:				
Electrostatic discharge capability				
Burst Test Pressure:				
9000.0 pounds per square inch				
Layer Composition And Location:				
1st layer braided corrosion resistant steel wire and outer layer molded polyurethane				
Maximum Operating Pressure:				
1500.0 pounds per square inch				
Thread Size:				
0.562 inches 1st end				
Seat Angle:				
37.0 degrees 1st end				
Hydrostatic Test Pressure:				
3000.0 pounds per square inch				
Flow Angle:				
45.0 degrees 1st end				
Outer Covering Environmental Protection:				
Abrasion resistant and corrosion resistant				

Smooth

**Measuring Method And Length:** 

21.375 inches working

**Thread Series Designator:** 

**Inside Surface Condition:** 

Unf 1st end

## NSN 4720-00-763-3201

Nonmetallic Hose Assembly - Page 2 of 2



Spec	ific	ation	Data:
------	------	-------	-------

07482-r465e0213a260c manufacturers source control

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0