

View Online at <https://aerobasegroup.com/nsn/4720-00-772-9536>

Cross Sectional Shape:

Round

Thread Direction:

Right-hand 1st end

Inside Diameter:

0.188 inches

Temperature Rating:

-40.0 degrees fahrenheit and 250.0 degrees fahrenheit single response

Outside Diameter:

Between 0.344 inches and 0.375 inches

Minimum Inside Bending Radius:

0.500 inches

Connection Style:

Plain 2nd end

End Connection Design:

Straight 1st end

Connection Type:

Threaded external pipe 2nd end

Features Provided:

Reusable end fittings

Burst Test Pressure:

1200.0 pounds per square inch

Layer Composition And Location:

1st layer braided rayon cord and outer layer molded rubber, chloroprene

Maximum Operating Pressure:

300.0 pounds per square inch

Thread Size:

0.125 inches 2nd end

Flow Angle:

90.0 degrees 2nd end

Outer Covering Environmental Protection:

Abrasion resistant and cold resistant and oil resistant and weatherproof

Inside Surface Condition:

Smooth

Measuring Method And Length:

30.000 inches excluding end fittings

Media For Which Designed:

Air and fuel/oil, hydrocarbon and water single response

Thread Series Designator:

Npt 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A542a0