NSN 4720-00-781-0672

Cross Sectional Shape:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-781-0672

Round					
Thread Class:					
3b 1st end					
Thread Direction:					
Right-hand 1st end					
Inside Diameter:					
1.000 inches					
Tempurature Rating:					
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response					
Outside Diameter:					
1.250 inches					
Angle Between Rigid Elbow Fittings In Deg:					
300.0					
Connection Style:					
Swivel nut flare 2nd end					
End Connection Design:					
Elbow 2nd end					
Connection Type:					
Threaded internal tube 1st end					
Features Provided:					
Electrostatic discharge capability					
Thready Qty Per Inch (tpi):					
12 2nd end					
Burst Test Pressure:					
6000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
1000.0 pounds per square inch					
Thread Size:					
1.062 inches 2nd end					
Seat Angle:					
37.0 degrees 2nd end					
Flow Angle:					
90.0 degrees 2nd end					
Inside Surface Condition:					
Smooth					
Measuring Method And Length:					
26.500 inches working					
Special Features:					
Rubber coated asbestos external support					

NSN 4720-00-781-0672

Nonmetallic Hose Assembly - Page 2 of 2



-	laa a al	C!	D!	_4
ı	nread	Series	Design	ator:

Un 2nd end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0