## NSN 4720-00-782-1479

**Cross Sectional Shape:** 

**Inside Diameter:** 0.640 inches

**Tempurature Rating:** 

**Bolt Circle Diameter:** 

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-782-1479

-100.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response

1.880 inches 2nd end
Flange Thickness:
0.440 inches 2nd end
Outside Diameter:
0.760 inches
Minimum Inside Bending Radius:
7.750 inches
Angle Between Rigid Elbow Fittings In Deg:
180.0
Bolt Hole Quantity:
2 2nd end
Connection Style:
Raised 2nd end
Bolt Hole Diameter:
0.440 inches 2nd end
Raised Face Height:
0.010 inches 1st end and 0.020 inches 1st end
Raised Face Diameter:
1.240 inches 2nd end
End Flange Construction:
Solid 2nd end
End Connection Design:
Elbow 2nd end
Connection Type:
Raised face flange 2nd end
Features Provided:
Internal support
Burst Test Pressure:
5000.0 pounds per square inch
Layer Composition And Location:
Outer layer braided steel wire
Maximum Operating Pressure:
800.0 pounds per square inch
Flow Angle:
90.0 degrees 2nd end

## NSN 4720-00-782-1479

Nonmetallic Hose Assembly - Page 2 of 2



Inside Surface Condition:
Smooth
Measuring Method And Length:
12.750 inches
Flange Style:
Oval 2nd end
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

**Fiig:** A542a0