## NSN 4720-00-785-7338

**Cross Sectional Shape:** 

Round

Thread Class: 3b 1st end

Thread Direction: Right-hand 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-785-7338

Inside Diameter:						
0.312 inches						
Tempurature Rating:						
-100.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response						
Outside Diameter:						
0.453 inches						
Minimum Inside Bending Radius:						
4.000 inches						
Connection Style:						
Swivel nut flare 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Burst Test Pressure:						
9000.0 pounds per square inch						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Maximum Operating Pressure:						
1500.0 pounds per square inch						
Thread Size:						
0.562 inches 1st end						
Seat Angle:						
37.0 degrees 1st end						
Hydrostatic Test Pressure:						
3000.0 pounds per square inch						
Outer Covering Environmental Protection:						
Corrosion resistant						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
22.750 inches working						
Thread Series Designator:						
Unjf 1st end						
Shelf Life:						
N/a						

## NSN 4720-00-785-7338

Nonmetallic Hose Assembly - Page 2 of 2



	• •				
In	18	<i>(</i> )+	МЛО	201	ure:

--

Demilitarization:

No

Fiig:

A542a0