

View Online at <https://aerobasegroup.com/nsn/4720-00-787-8437>

**Cross Sectional Shape:**

Round

**Wall Thickness:**

Between 0.062 inches and 0.071 inches

**Connection Type:**

Coupling first end

**Thready Qty Per Inch (tpi):**

20 first end

**Maximum Operating Pressure:**

500.0 pounds per square inch

**Thread Size:**

0.500 inches first end

**Measuring Method And Length:**

14.000 inches

**Coupling Style:**

Threaded internal first end

**Special Features:**

Ozone resistance: not ozone resistant; end similarity: identical; inside diameter: 0.235 in. Min.0.265 in. Max.; hose style sleeve section, style no. 5 from old fiig a22900; hose material: tetrafluoroethylene plastic, corrosion resistant steel (qq-s-763, type 304) and bronze coated steel wire; communication cable and restraint cord: not included

**Material:**

Stainless steel 1st end coupling

**Material Specification:**

Qq-s-763 type 304 federal specification single material response 1st end coupling

**Surface Treatment:**

Passivate 1st end coupling

**Thread Series Designator:**

Unjf first end

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A229a0

**Mil-std (military Standard):**

Mil-prf-26626 spec.