38.750 inches

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-788-5584

| Cross Sectional Shape:  |               |
|---|---------------|
| Round   |               |
| Inside Diameter:  |               |
| 0.750 inches  |               |
| Tempurature Rating:   |               |
| -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response   |               |
| Flange Thickness:   |               |
| 0.270 inches 1st end  |               |
| Outside Diameter:   |               |
| Between 1.219 inches and 1.281 inches   |               |
| Recess Diameter:  |               |
| 0.844 inches 1st end  |               |
| Recess Depth:   |               |
| 0.110 inches 1st end  |               |
| Minimum Inside Bending Radius:  |               |
| 9.500 inches  |               |
| Exterior Color:   |               |
| Black   |               |
| Flange Outside Diameter:  |               |
| 1.500 inches 1st end  |               |
| Connection Style:   |               |
| Recessed w/gasket groove 1st end  |               |
| End Flange Construction:  |               |
| Solid 1st end   |               |
| End Connection Design:  |               |
| Straight 1st end  |               |
| Connection Type:  |               |
| Recessed flange 1st end   |               |
| Burst Test Pressure:  |               |
| 9000.0 pounds per square inch   |               |
| Layer Composition And Location:   |               |
| 1st layer spirally laid steel wire and 2nd layer spirally laid steel wire and 3rd layer braided steel wire and outer layer mo | olded rubber, |
| synthetic   |               |
| Maximum Operating Pressure:   |               |
| 2250.0 pounds per square inch   |               |
| Hydrostatic Test Pressure:  |               |
| 4500.0 pounds per square inch   |               |
| Outer Covering Environmental Protection:  |               |
| Cold resistant and oil resistant and ozone resistant and weatherproof   |               |
| Inside Surface Condition:   |               |
| Smooth  |               |
| Measuring Method And Length:  |               |
|   |               |

Nonmetallic Hose Assembly - Page 2 of 2



Flange Style:

Round w/ out bolt holes 1st end

## Media For Which Designed:

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0