## NSN 4720-00-792-6012

**Cross Sectional Shape:** 

Round

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-792-6012

Thread Class:			
3b 1st end			
Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.312 inches			
Tempurature Rating:			
-65.0 degrees fahrenheit and 450.0 degrees fahrenheit single response			
Outside Diameter:			
0.438 inches			
Connection Style:			
Swivel nut flare 2nd end			
End Connection Design:			
Straight 1st end			
Connection Type:			
Threaded internal tube 1st end			
Features Provided:			
Electrostatic discharge capability			
Burst Test Pressure:			
9000.0 pounds per square inch			
Layer Composition And Location:			
Outer layer braided corrosion resistant steel wire			
Maximum Operating Pressure:			
1500.0 pounds per square inch			
Thread Size:			
0.562 inches 2nd end			
Seat Angle:			
37.0 degrees 2nd end			
Hydrostatic Test Pressure:			
3000.0 pounds per square inch			
Flow Angle:			
45.0 degrees 2nd end			
Outer Covering Environmental Protection:			
Abrasion resistant and corrosion resistant			
Inside Surface Condition:			
Smooth			
Measuring Method And Length:			

Unf 2nd end

29.000 inches working

Thread Series Designator:

## NSN 4720-00-792-6012

Nonmetallic Hose Assembly - Page 2 of 2



Sı	pecif	icatio	n Data:
----	-------	--------	---------

07482-r463e0290ac manufacturers source control

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0