NSN 4720-00-796-1598

Cross Sectional Shape:

Round

Thread Class: 3b 1st end

Thread Direction: Right-hand 1st end

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-796-1598

0.438 inches Tempurature Rating: -65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response					
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response					
-65.0 degrees fahrenheit single response and 450.0 degrees fahrenheit single response					
Outside Diameter:					
0.562 inches					
Minimum Inside Bending Radius:					
4.600 inches					
Connection Style:					
Swivel nut flare 1st end					
End Connection Design:					
Elbow 1st end					
Connection Type:					
Threaded internal tube 1st end					
Burst Test Pressure:					
6000.0 pounds per square inch					
Layer Composition And Location:					
Outer layer braided corrosion resistant steel wire					
Maximum Operating Pressure:					
1500.0 pounds per square inch					
Thread Size:					
0.750 inches 1st end					
Seat Angle:					
37.0 degrees 1st end					
Hydrostatic Test Pressure:					
3000.0 pounds per square inch					
Flow Angle:					
45.0 degrees 1st end					
Outer Covering Environmental Protection:					
Corrosion resistant					
Inside Surface Condition:					
Inside Surface Condition: Smooth					
Smooth					
Smooth Measuring Method And Length:					

NSN 4720-00-796-1598

Nonmetallic Hose Assembly - Page 2 of 2



_				
c	hο	JIF.		ife:
J			_	HG.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0