Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-796-7474

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.406 inches	
Tempurature Rating:	
-65.0 degrees fahrenheit	single response and 450.0 degrees fahrenheit single response
Outside Diameter:	
0.562 inches	
Minimum Inside Bendin	g Radius:
4.625 inches	
Connection Style:	
Swivel nut flare 1st end	
End Connection Design	:
Straight 1st end	
Connection Type:	
Threaded internal tube 1s	it end
Burst Test Pressure:	
8000.0 pounds per squar	e inch
Layer Composition And	Location:
Outer layer braided corro	sion resistant steel wire
Maximum Operating Pre	essure:
1500.0 pounds per squar	e inch
Thread Size:	
0.750 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Hydrostatic Test Pressu	ire:
3000.0 pounds per squar	e inch
Vacuum In Torr:	
50.8	
Inside Surface Conditio	n:
Smooth	
Measuring Method And	Length:
41.750 inches working	
Thread Series Designat	or:
Unf 1st end	
Shelf Life:	
N/a	

NSN 4720-00-796-7474

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0