Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-798-4194

Cross Sectional Shape:	
Round	
Thread Class:	
3b 1st end	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.625 inches	
Outside Diameter:	
0.781 inches	
Minimum Inside Bending Radius:	:
6.500 inches	
Connection Style:	
Swivel nut flare 1st end	
End Flange Construction:	
Solid 2nd end	
End Connection Design:	
Elbow 2nd end	
Connection Type:	
Threaded internal tube 1st end	
Thready Qty Per Inch (tpi):	
12 1st end	
Burst Test Pressure:	
6000.0 pounds per square inch	
Layer Composition And Location	.:
Outer layer braided corrosion resist	ant steel wire
Maximum Operating Pressure:	
1000.0 pounds per square inch	
Thread Size:	
1.062 inches 1st end	
Seat Angle:	
37.0 degrees 1st end	
Flow Angle:	
45.0 degrees 2nd end	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
34.500 inches working	
Thread Series Designator:	
Un 1st end	
Shelf Life:	
N/a	

## NSN 4720-00-798-4194

Nonmetallic Hose Assembly - Page 2 of 2



Unit Of Measure:

---

Demilitarization:

No

Fiig:

A542a0