## NSN 4720-00-812-6930

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-812-6930

Cross Sectional Shape:
Round
Thread Class:
3b 1st end
Thread Direction:
Right-hand 1st end
Inside Diameter:
0.250 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Outside Diameter:
0.531 inches
Minimum Inside Bending Radius:
2.000 inches
Exterior Color:
Olive drab
Connection Style:
Swivel nut flare 1st end
End Connection Design:
Straight 1st end
Connection Type:
Threaded internal tube 1st end
Thready Qty Per Inch (tpi):
20 1st end
Burst Test Pressure:
450.0 pounds per square inch
Layer Composition And Location:
1st layer braided steel wire and outer layer rubber impregnated cotton fabric
Maximum Operating Pressure:
70.0 pounds per square inch
Thread Size:
0.500 inches 1st end
Seat Angle:
37.0 degrees 1st end
Hydrostatic Test Pressure:
150.0 pounds per square inch
Inside Surface Condition:
Smooth
Measuring Method And Length:
16.000 inches

Media For Which Designed:

Oxygen, gaseous single response

## NSN 4720-00-812-6930

Nonmetallic Hose Assembly - Page 2 of 2



Thread	<b>Series</b>	Designator:

Unf 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0