NSN 4720-00-826-1639

Cross Sectional Shape:

Round

Thread Class: 3a 1st end

Thread Direction:
Right-hand 1st end
Inside Diameter:
0.375 inches

Metallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-826-1639

Tempurature Rating:				
-40.0 degrees fahrenheit single response and 200.0 degrees fahrenheit single response				
Outside Diameter:				
0.812 inches				
Minimum Inside Bending Radius:				
5.000 inches				
Inner Conveying Tube Style:				
Helical close-pitch corrugated				
Exterior Color:				
Natural				
Connection Style:				
Swivel nut with loose or integral clinch sleeve 1st end				
End Connection Design:				
Straight 1st end				
Connection Type:				
Threaded internal tube 1st end				
Features Provided:				
Identical ends				
Burst Test Pressure:				
6000.0 pounds per square inch				
Layer Composition And Location:				
Outer layer braided corrosion resistant steel wire				
Maximum Operating Pressure:				
1500.0 pounds per square inch				
Thread Size:				
0.562 inches 1st end				
Seat Angle:				
12.0 degrees 1st end				
Hydrostatic Test Pressure:				
3000.0 pounds per square inch				
Outer Covering Environmental Protection:				
Corrosion resistant				
Measuring Method And Length:				
15.500 inches				

NSN 4720-00-826-1639

Metallic Hose Assembly - Page 2 of 2



		•		
Ιh	read	Series	Desiar	າator:

Unjf 1st end

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0