NSN 4720-00-832-7179

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-832-7179 **Cross Sectional Shape:** Round **Thread Direction:** Right-hand 1st end **Inside Diameter:** 0.500 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** 0.938 inches **Minimum Inside Bending Radius:** 5.000 inches **Connection Style:** Plain 1st end **End Connection Design:** Straight 1st end **Connection Type:** Threaded external pipe 1st end **Burst Test Pressure:** 4000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided fabric and 2nd layer braided fabric and outer layer molded rubber, chloroprene **Maximum Operating Pressure:** 1000.0 pounds per square inch **Thread Size:** 0.500 inches 1st end **Hydrostatic Test Pressure:** 2000.0 pounds per square inch Vacuum In Torr: 127.0 **Inside Surface Condition: Measuring Method And Length:** 80.000 inches **Thread Series Designator:** Npt 1st end Shelf Life: N/a **Unit Of Measure:**

No

Demilitarization:

NSN 4720-00-832-7179

Nonmetallic Hose Assembly - Page 2 of 2



Fiig:

A542a0