NSN 4720-00-832-8968

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-832-8968

Cross Sectional Shape:
Round
Inside Diameter:
1.500 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 300.0 degrees fahrenheit single response
Outside Diameter:
Between 2.187 inches and 2.312 inches
Minimum Inside Bending Radius:
22.000 inches
Exterior Color:
Black
Flange Outside Diameter:
2.375 inches 2nd end
Connection Style:
Plain w/ gasket groove (sae flanged head) 2nd end
End Flange Construction:
Solid 2nd end
End Connection Design:
Straight 1st end
Connection Type:
Plain face flange 2nd end
Features Provided:
Reusable end fittings
Burst Test Pressure:
10000.0 pounds per square inch
Layer Composition And Location:
1st layer braided steel wire and outer layer rubber impregnated braided fabric
Maximum Operating Pressure:
2500.0 pounds per square inch
Hydrostatic Test Pressure:
5000.0 pounds per square inch
Flow Angle:
30.0 degrees 2nd end
Outer Covering Environmental Protection:
Oil resistant and weatherproof
Inside Surface Condition:
Smooth

42.562 inches

Flange Style:

Round w/ out bolt holes 2nd end

Measuring Method And Length:

NSN 4720-00-832-8968

Nonmetallic Hose Assembly - Page 2 of 2



М	edia	For	Wh	ich	Desi	aned:
IVI	cuia	1 01	***		DESI	uncu.

Fuel/oil, hydrocarbon single response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0