NSN 4720-00-834-2669

Cross Sectional Shape:

Round

Thread Class:

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-834-2669

3b 1st end						
Thread Direction:						
Right-hand 1st end						
Inside Diameter:						
0.298 inches						
Tempurature Rating:						
-67.0 degrees fahrenheit single response and 400.0 degrees fahrenheit single response						
Outside Diameter:						
0.475 inches						
Minimum Inside Bending Radius:						
2.500 inches						
Connection Style:						
Swivel nut, flareless 1st end						
End Connection Design:						
Straight 1st end						
Connection Type:						
Threaded internal tube 1st end						
Burst Test Pressure:						
14000.0 pounds per square inch						
Layer Composition And Location:						
Outer layer braided corrosion resistant steel wire						
Maximum Operating Pressure:						
3000.0 pounds per square inch						
Thread Size:						
0.562 inches 1st end						
Seat Angle:						
12.0 degrees 1st end						
Hydrostatic Test Pressure:						
6000.0 pounds per square inch						
Outer Covering Environmental Protection:						
Corrosion resistant						
Inside Surface Condition:						
Smooth						
Measuring Method And Length:						
11.750 inches						
Thread Series Designator:						
Unjf 1st end						
Specification Data:						
81343-as115 professional/industrial association standard						

NSN 4720-00-834-2669

Nonmetallic Hose Assembly - Page 2 of 2



_	_			_	
С.		ficatio	^-	C+	
•	neci	ticatio	n cor	Stanc	ıarn:

6 size

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A542a0