Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-834-4868

Cross Sectional Shape:	
Round	
Thread Direction:	
Right-hand 1st end	
Inside Diameter:	
0.375 inches	
Tempurature Rating:	
-40.0 degrees fahrenheit single response and 275.0 degrees fahrenheit single response	
Outside Diameter:	
0.750 inches	
Minimum Inside Bending Radius:	
3.000 inches	
Hose Or Tubing Specification/std Data:	
Sae j1402, type b-81343 standard (includes industry or association standards, individual manufactureer standards, etc.). Connection Style:	
Plain 1st end	
End Connection Design:	
Straight 1st end	
Connection Type:	
Threaded external pipe 1st end	
Second End Relationship With First End:	
Burst Test Pressure:	
900.0 pounds per square inch	
First End Swivel Action Capability:	
Not included	
Layer Composition And Location:	
Outer layer molded rubber, chloroprene err-100	
Maximum Operating Pressure:	
225.0 pounds per square inch	
Thread Size:	
0.250 inches 1st end	
Outer Covering Environmental Protection:	
Cold resistant and salt water resistant	
Inside Surface Condition:	
Smooth	
Measuring Method And Length:	
32.000 inches	
Media For Which Designed:	
Air single response	
Thread Series Designator:	
Npt 1st end	

NSN 4720-00-834-4868

Nonmetallic Hose Assembly - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0

