NSN 4720-00-837-8150

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-837-8150 **Cross Sectional Shape:** Round **Thread Class:** 1a 2nd end **Thread Direction:** Right-hand 1st end **Inside Diameter:** Between 0.985 inches and 1.040 inches **Tempurature Rating:** -40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response **Outside Diameter:** Between 1.516 inches and 1.609 inches **Minimum Inside Bending Radius:** 12.000 inches **Connection Style:** Plain 1st end **End Connection Design:** Straight 2nd end **Connection Type:** Threaded external pipe 1st end Thready Qty Per Inch (tpi): 16 2nd end **Burst Test Pressure:** 8000.0 pounds per square inch **Layer Composition And Location:** 1st layer braided wire and 2nd layer braided wire and outer layer molded rubber, synthetic **Maximum Operating Pressure:** 2000.0 pounds per square inch **Thread Size:** 1.000 inches 1st end **Hydrostatic Test Pressure:** 4000.0 pounds per square inch **Inside Surface Condition:** Smooth **Measuring Method And Length:** 36.000 inches Media For Which Designed: Fuel/oil, hydrocarbon single response **Thread Series Designator:** Un 2nd end

N/a

Shelf Life:

NSN 4720-00-837-8150

Nonmetallic Hose Assembly - Page 2 of 2



	1	:.	~	84				
ι	JN	IT	UΤ	IVI	ea	Sι	ire:	•

--

Demilitarization:

No

Fiig:

A542a0