## NSN 4720-00-837-8154

Hydraulic fluid single response

Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-837-8154

Cross Sectional Shape:			
Round			
Thread Class:			
2a 1st end			
Thread Direction:			
Right-hand 1st end			
Inside Diameter:			
0.750 inches			
Tempurature Rating:			
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response			
Outside Diameter:			
1.250 inches			
Minimum Inside Bending Radius:			
9.500 inches			
Exterior Color:			
Black			
Connection Style:			
Plain 2nd end			
End Connection Design:			
Straight 2nd end			
Connection Type:			
Threaded external tube 1st end			
Thready Qty Per Inch (tpi):			
16 1st end			
Burst Test Pressure:			
9000.0 pounds per square inch			
Layer Composition And Location:			
1st layer braided wire and 2nd layer braided wire and outer layer molded rubber, synthetic			
Maximum Operating Pressure:			
2250.0 pounds per square inch			
Thread Size:			
0.750 inches 2nd end			
Seat Angle:			
12.0 degrees 1st end			
Hydrostatic Test Pressure:			
4500.0 pounds per square inch			
Outer Covering Environmental Protection:			
Oil resistant and weatherproof			
Measuring Method And Length:			
49.500 inches			
Media For Which Designed:			

## NSN 4720-00-837-8154

Nonmetallic Hose Assembly - Page 2 of 2



Thread	<b>Series</b>	Design	ator:

Un 1st end

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A542a0