Nonmetallic Hose Assembly - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4720-00-847-9453

Cross Sectional Shape:
Round
Inside Diameter:
1.000 inches
Tempurature Rating:
-40.0 degrees fahrenheit and 200.0 degrees fahrenheit single response
Flange Thickness:
0.315 inches 1st end
Outside Diameter:
1.560 inches
Minimum Inside Bending Radius:
12.000 inches
Exterior Color:
Black
Flange Outside Diameter:
1.750 inches 1st end
Connection Style:
Plain swivel w/ gasket groove 1st end
End Flange Construction:
Split 1st end
End Connection Design:
Straight 1st end
Connection Type:
Plain face flange 1st end
Features Provided:
Reusable end fittings
Burst Test Pressure:
8000.0 pounds per square inch
Layer Composition And Location:
1st layer braided steel wire and 2nd layer braided steel wire and outer layer molded rubber, synthetic
Maximum Operating Pressure:
2500.0 pounds per square inch
Hydrostatic Test Pressure:
4000.0 pounds per square inch
Outer Covering Environmental Protection:
Oil resistant and weatherproof
Inside Surface Condition:
Smooth
Measuring Method And Length:
39.000 inches
Flange Style:
Round w/ out bolt holes 1st end

Nonmetallic Hose Assembly - Page 2 of 2



Media For Which Designed:

Air and fuel/oil, hydrocarbon and hydraulic fluid and gas single response

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A542a0